


# DUCKBILL- ROOT BALL ANCHORING KIT FOR

## Product Guide

# GRILL FOSRBKS



LANDSCAPE DEPOT

# DUCKBILL– ROOT BALL ANCHORING KIT FOR

## Product Guide

## GRILL FOSRBKS



### ROOT BALL STABILIZING KIT CHOICES

| PLANT INFORMATION |         |        |         |               |               |
|-------------------|---------|--------|---------|---------------|---------------|
| CIRCUMFERENCE     | in cms. | HEIGHT | In cms. | ROOT BALL KIT | GRILL MESH    |
| FROM              | TO      | FROM   | TO      | Reference     | Min. Diameter |
|                   | 14/16   | 150    | 200     | 40FOSRBKS     | 6 mm minimum  |
| 16/18             | 20/25   | 250    | 450     | 68FOSRBKS     | 8 mm minimum  |
| 25/30             | 40/45   | 450    | 750     | 88FOSRBKS     | 10 mm minimum |
| 45/50             | 70/75   | 750    | 1200    | MR4FOSRBKS    | 12 mm minimum |

#### Features:

- Easy, fast and reliable fixing of the plant by the root ball
- Maximum support: high security shackle, galvanized steel cable with eyelet.
- Specialized strap
- 4 kits available depending on the plant's height and circumference
- 1 kit = 3 shackles + 3 cables + 3 hoisting rings + 1 strap
- Mesh not included

#### Applications:

- Ideal for urban plantations (in plant boxes, on terraces or underground car parks.

**IMPORTANT :** grills must respect the NF A 35-016-2 standard. Grills are not included

# DUCKBILL– ROOT BALL ANCHORING KIT FOR GRILL FOSRBKS



ROOT BALL ACHOR KITS (For Grill)

40 FOS RBKS

Maximum plant growth

Height : 250cm

Circumference : 14/16

Anchor kit composition

3 Shackle(s)

Model :

☒ WML106

☐ WML110

☐ MHL111

☐ MHL113

3 Cable(s)

Diameter : 1.5 mm

☒ galvanized

☐ stainless

Construction :

☒ 7 wires

☐ 19 wires

☒ 7 cables

MBL<sup>(1)</sup> :

193 kg

1.89 kN

MWL<sup>(2)</sup> :

96 kg

0.94 kN

Length:

0.28 meters

Ends:

☒ loop

☒ anchoring rings

Anchoring ring:

☐ 25 mm

☐ 35 mm

☐ 50 mm

Shaft :

☒ aluminium

☐ copper

<sup>(1)</sup> MBL : maximum breaking load

<sup>(2)</sup> MWL : maximum work load. The MWL is calculated by applying the safety coefficient to the MBL.

1 Strap(s)

Type :

☒ Strap

☐ Cable

length :

2 metres

Polyester strap :

☒ 25 mm

☐ 35 mm

☐ 50 mm

Strap colour :

Yellow

MBL<sup>(1)</sup> :

1200 kg

11,77 kN

MWL<sup>(2)</sup> :

600 kg

5.89 kN

MBL ratchet tension

700 kg

6.87 kN

Accessories

Drive rod :

☐ DS40

☐ DS68

☐ DS88

☐ PDS6810

☐ PDS8810

☐ PDS6814

☐ PDS8814

☐ PDS6818

☐ PDSMR14

Weight of kit : 0.400 Kg

ROOT BALL ACHOR KITS (For Grill)

68 FOS RBKS

Maximum plant growth

Height : 450cm

Circumference : 20/25

Anchor kit composition

3 Shackle(s)

Model :

☐ WML106

☒ WML110

☐ MHL111

☐ MHL113

3 Cable(s)

Diameter : 3 mm

☒ galvanized

☐ stainless

Construction :

☒ 7 wires

☐ 19 wires

☒ 7 cables

MBL<sup>(1)</sup> :

720 kg

7.06kN

MWL<sup>(2)</sup> :

360 kg

3.53 kN

Length:

0.35 meters

Ends:

☒ loop

☒ anchoring rings

Anchoring ring:

☒ 25 mm

☐ 35 mm

☐ 50 mm

Shaft :

☒ aluminium

☐ copper

<sup>(1)</sup>MBL : maximum breaking load

<sup>(2)</sup>MWL : maximum work load. The MWL is calculated by applying the safety coefficient to the MBL.

1 Strap(s)

Type :

☒ Strap

☐ Cable

length :

4.50 metres

Polyester strap :

☒ 25 mm

☐ 35 mm

☐ 50 mm

Strap colour :

blue

MBL<sup>(1)</sup> :

1200 kg

11,77 kN

MWL<sup>(2)</sup> :

600 kg

5,89 kN

MBL ratchet tension

700 kg

6,87 kN

Accessories

Drive rod :

☐ DS40

☐ DS68

☐ DS88

☐ PDS6810

☐ PDS8810

☐ PDS6814

☐ PDS8814

☐ PDS6818

☐ PDS8818

☐ PDSMR14

Weight of kit : 0.850 Kg

# DUCKBILL– ROOT BALL ANCHORING KIT FOR GRILL FOSRBKS



| ROOT BALL ACHOR KITS (For Grill)                                                                                                                                         |                                                                                                       | 88 FOS RBKS                                                                                           |                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Maximum plant growth                                                                                                                                                     | Height : 750cm                                                                                        | Circumference : 40/45                                                                                 |                                                                                                                                           |
| <b>Anchor kit composition</b>                                                                                                                                            |                                                                                                       |                                                                                                       |                                                                                                                                           |
| <b>3 Shackle(s)</b>                                                                                                                                                      |                                                                                                       |                                                                                                       |                                                                                                                                           |
| Model :                                                                                                                                                                  | <input type="checkbox"/> WML106<br><input type="checkbox"/> MHL113                                    | <input type="checkbox"/> WML110                                                                       | <input checked="" type="checkbox"/> MHL111                                                                                                |
| <b>3 Cable(s)</b>                                                                                                                                                        |                                                                                                       |                                                                                                       |                                                                                                                                           |
| Diameter : 3 mm                                                                                                                                                          | <input checked="" type="checkbox"/> galvanized                                                        | <input type="checkbox"/> stainless                                                                    |                                                                                                                                           |
| Construction :                                                                                                                                                           | <input checked="" type="checkbox"/> 7 wires                                                           | <input type="checkbox"/> 19 wires                                                                     | <input checked="" type="checkbox"/> 7 cables                                                                                              |
| MBL <sup>(1)</sup> :                                                                                                                                                     | 3120 kg                                                                                               | 30.61 kN                                                                                              |                                                                                                                                           |
| MWL <sup>(2)</sup> :                                                                                                                                                     | 1560 kg                                                                                               | 15.30 kN                                                                                              |                                                                                                                                           |
| Length:                                                                                                                                                                  | 0.50 meters                                                                                           |                                                                                                       |                                                                                                                                           |
| Ends:                                                                                                                                                                    | <input checked="" type="checkbox"/> loop                                                              | <input checked="" type="checkbox"/> anchoring rings                                                   |                                                                                                                                           |
| Anchoring ring:                                                                                                                                                          | <input type="checkbox"/> 25 mm                                                                        | <input checked="" type="checkbox"/> 35 mm                                                             | <input type="checkbox"/> 50 mm                                                                                                            |
| Shaft :                                                                                                                                                                  | <input checked="" type="checkbox"/> aluminium                                                         | <input type="checkbox"/> copper                                                                       |                                                                                                                                           |
| <small><sup>(1)</sup>MBL : maximum breaking load<br/><sup>(2)</sup>MWL : maximum work load. The MWL is calculated by applying the safety coefficient to the MBL.</small> |                                                                                                       |                                                                                                       |                                                                                                                                           |
| <b>1 Strap(s)</b>                                                                                                                                                        |                                                                                                       |                                                                                                       |                                                                                                                                           |
| Type :                                                                                                                                                                   | <input checked="" type="checkbox"/> Strap                                                             | <input type="checkbox"/> Cable                                                                        |                                                                                                                                           |
| length :                                                                                                                                                                 | 6.50 metres                                                                                           |                                                                                                       |                                                                                                                                           |
| Polyester strap :                                                                                                                                                        | <input type="checkbox"/> 25 mm                                                                        | <input checked="" type="checkbox"/> 35 mm                                                             | <input type="checkbox"/> 50 mm                                                                                                            |
| Strap colour :                                                                                                                                                           | Red                                                                                                   |                                                                                                       |                                                                                                                                           |
| MBL <sup>(1)</sup> :                                                                                                                                                     | 3400 kg                                                                                               | 33.35 kN                                                                                              |                                                                                                                                           |
| MWL <sup>(2)</sup> :                                                                                                                                                     | 1700 kg                                                                                               | 16.68 kN                                                                                              |                                                                                                                                           |
| MBL ratchet tension                                                                                                                                                      | 2000 kg                                                                                               | 19.62 kN                                                                                              |                                                                                                                                           |
| <b>Accessories</b>                                                                                                                                                       |                                                                                                       |                                                                                                       |                                                                                                                                           |
| Drive rod :                                                                                                                                                              | <input type="checkbox"/> DS40<br><input type="checkbox"/> PDS8810<br><input type="checkbox"/> PDS8818 | <input type="checkbox"/> DS68<br><input type="checkbox"/> PDS6814<br><input type="checkbox"/> PDSMR14 | <input type="checkbox"/> DS88<br><input type="checkbox"/> PDS8814<br><input type="checkbox"/> PDS6810<br><input type="checkbox"/> PDS6818 |
| Weight of kit : 2.42 Kg                                                                                                                                                  |                                                                                                       |                                                                                                       |                                                                                                                                           |